

**RNP 1 (GNSS)  
STANDARD DEPARTURE CHART  
INSTRUMENT (SID) - ICAO**

**Lublin  
RWY 07**

**VADOL 1F**

PDG 7.0% REQUIRED DUE TO OPERATIONAL REASONS UP TO LB707

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE/TRACK °M (°T)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	LB702	-	072 (077.3)	4.84	-	-	-220	RNP 1
002	TF	LB703	-	342 (347.2)	5.00	-	+3000 ft	-230	RNP 1
003	TF	LB704	-	256 (260.5)	9.45	-	+6000 ft	-230	RNP 1
004	TF	LB706	-	252 (257.3)	7.07	-	+FL90	-	RNP 1
005	TF	LB707	-	250 (254.6)	8.95	-	+FL100	-	RNP 1
006	TF	VADOL	-	309 (313.9)	3.36	-	+FL100	-	RNP 1

**ARGIX 1F**

PDG 7.0% REQUIRED DUE TO OPERATIONAL REASONS UP TO LB713

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE/TRACK °M (°T)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	LB701	-	072 (077.3)	3.90	-	-	-220	RNP 1
002	TF	LB711	-	162 (167.3)	4.86	-	+3000 ft	-230	RNP 1
003	TF	LB712	-	234 (239.4)	7.74	-	+6000 ft	-	RNP 1
004	TF	LB713	-	208 (212.8)	9.45	-	+FL100	-	RNP 1
005	TF	LB714	-	270 (275.2)	7.55	-	-	-	RNP 1
006	TF	LB716	-	270 (275.0)	9.05	-	-	-	RNP 1
007	TF	ARGIX	-	231 (235.5)	6.44	-	-	-	RNP 1

**LIBGA 1F**

PDG 7.0% REQUIRED DUE TO OPERATIONAL REASONS UP TO LB713

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE/TRACK °M (°T)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	LB701	-	072 (077.3)	3.90	-	-	-220	RNP 1
002	TF	LB711	-	162 (167.3)	4.86	-	+3000 ft	-230	RNP 1
003	TF	LB712	-	234 (239.4)	7.74	-	+6000 ft	-	RNP 1
004	TF	LB713	-	208 (212.8)	9.45	-	+FL100	-	RNP 1
005	TF	LB714	-	270 (275.2)	7.55	-	-	-	RNP 1
006	TF	LB717	-	220 (224.5)	7.00	-	-	-	RNP 1
007	TF	LIBGA	-	179 (183.8)	5.05	-	-	-	RNP 1

**USEGI 1F**

PDG 7.0% REQUIRED DUE TO OPERATIONAL REASONS UP TO USEGI

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE/TRACK °M (°T)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	LB701	-	072 (077.3)	3.90	-	-	-220	RNP 1
002	TF	LB711	-	162 (167.3)	4.86	-	+3000 ft	-230	RNP 1
003	TF	LB712	-	234 (239.4)	7.74	-	+6000 ft	-	RNP 1
004	TF	LB713	-	208 (212.8)	9.45	-	+FL100	-	RNP 1
005	TF	USEGI	-	115 (119.6)	5.55	-	-	-	RNP 1

**ARGIX 1D**

PDG 7.0% REQUIRED DUE TO OPERATIONAL REASONS UP TO LB707

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE/TRACK °M (°T)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	LB702	-	072 (077.3)	4.84	-	-	-220	RNP 1
002	TF	LB703	-	342 (347.2)	5.00	-	+3000 ft	-230	RNP 1
003	TF	LB704	-	256 (260.5)	9.45	-	+6000 ft	-230	RNP 1
004	TF	LB706	-	252 (257.3)	7.07	-	+FL90	-	RNP 1
005	TF	LB707	-	250 (254.6)	8.95	-	+FL100	-	RNP 1
006	TF	ARGIX	-	197 (201.7)	19.79	-	-	-	RNP 1

WAYPOINT IDENTIFIER	COORDINATES	
	ARGIX	50°56'42.0"N
LIBGA	50°49'31.0"N	022°12'42.0"E
VADOL	51°17'23.0"N	022°06'09.0"E
DER RWY07	51°14'33.7"N	022°43'52.0"E
LB701	51°15'25.4"N	022°49'54.9"E
LB702	51°15'37.8"N	022°51'22.4"E
LB703	51°20'29.9"N	022°49'36.8"E
LB704	51°18'57.8"N	022°34'44.5"E
LB706	51°17'25.2"N	022°23'44.7"E
LB707	51°15'03.2"N	022°10'00.3"E
LB711	51°10'41.4"N	022°51'37.1"E
LB712	51°06'45.9"N	022°41'01.7"E
LB713	50°58'50.5"N	022°32'53.8"E
LB714	50°59'31.9"N	022°21'00.1"E
LB716	51°00'20.0"N	022°06'44.0"E
LB717	50°54'33.0"N	022°13'14.0"E
USEGI	50°56'06.7"N	022°40'31.7"E